


## Product information

### VITOCOLL 433A05

Transfer tape based on a synthetic rubber.

## Product composition

Adhesive, synthetic rubber  
 Liner, siliconised paper, yellow-brown



## Application

VITOCOLL 433A05 is used for self-adhesive finishing of materials such as felt, film, paper, foam, plastics and profiles.

## Product benefit

- good adhesion on low energy and cold surfaces
- compatible with acrylic glass

## Technical data and product properties

thickness	0.05 mm	
peel adhesion on stainless steel acc. to DIN EN 1939:1996	at 20 °C	19 N / 25 mm
shear adhesion on stainless steel acc. to DIN EN 1943:1996	at 20 °C	10 N / 625 mm <sup>2</sup>
temperature resistance	-20 °C to 60 °C	
application temperature	5 °C to 30 °C	
compatibility with acrylic glass	yes	

## Processing

The most important processing parameters and information on cleaning are listed in our Information on Processing Adhesive Tapes.

## Storage and shelf life

6 month after receipt of goods, when stored at 18 °C and 60 % relative humidity protected from sunlight, in original packaging

## Special Information

The data and technical information presented are characteristic or average data. All advices are given to the best of our knowledge. You are kindly requested to conduct your own tests to determine the suitability of our product for your application. Our General Conditions answer any questions on guarantees and liabilities for these products unless other legal regulations apply.

If you need further information about product safety, conformance, REACH or RoHS please send your e-mail to [info@vito-irmen.de](mailto:info@vito-irmen.de)

05/2015 Ki